

RECOMMENDED PAINT SYSTEMS (TWO PACK PRODUCT)

POINTS TO NOTE: All products listed in order of application. All two pack products to be thinned with 903 thinners (when brushing), 904 Thinners (when spraying)

SUBSTRATE		BELOW WATERLINE		ABOVE WATERLINE		CABIN EXTERIOR		CABIN INTERIOR CLEAR COATING		CABIN INTERIOR PIGMENTED COATING	
	COATS	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION	CODE	DESCRIPTION
TIMBER	1	199	EPOXY PRIMER	199	EPOXY PRIMER	199	EPOXY PRIMER	938	ALPHA VARNISH	199	EPOXY PRIMER
	2	199	EPOXY PRIMER	199	EPOXY PRIMER	199	EPOXY PRIMER	938	ALPHA VARNISH	199	EPOXY PRIMER
	OR			OR		OR	OR	938	ALPHA VARNISH	343	P/U GLOSS
				158	HI BUILD EPOXY PRIMER	158	GLOSS ENAMEL	OR	OR	343	P/U GLOSS
	3	158	HI BUILD EPOXY PRIMER	158	HI BUILD EPOXY PRIMER	158	GLOSS ENAMEL	381	ULTRA VARNISH	OR	
	4	158	HI BUILD EPOXY PRIMER			343	P/U GLOSS	343	P/U GLOSS	381	ULTRA VARNISH
	3	271	LONGLIFE ANTIFOUL			343	P/U GLOSS	343	P/U GLOSS	381	ULTRA VARNISH
	4	271	LONGLIFE ANTIFOUL								
FIBRE GLASS (G.R.P)	1	199	EPOXY PRIMER	199	EPOXY PRIMER	199	EPOXY PRIMER			199	EPOXY PRIMER
	2	199	EPOXY PRIMER	199	EPOXY PRIMER	199	EPOXY PRIMER			343	P/U GLOSS
	4	271	LONGLIFE ANTIFOUL	OR		OR	OR			343	P/U GLOSS
	OR	OR	OR	158	HI BUILD EPOXY PRIMER	158	HI BUILD EPOXY PRIMER				
				158	HI BUILD EPOXY PRIMER	158	HI BUILD EPOXY PRIMER				
	3	AF500	CLEANSHIP ANTIFOUL	343	P/U GLOSS	343	P/U GLOSS				
	4	AF500	CLEANSHIP ANTIFOUL	343	P/U GLOSS	343	P/U GLOSS				
STEEL	1	155	ZINC EPOXY PRIMER	155	ZINC EPOXY PRIMER	155	ZINC EPOXY PRIMER			155	ZINC EPOXY PRIMER
	2	158	HI BUILD EPOXY PRIMER	158	HI BUILD EPOXY PRIMER	158	HI BUILD EPOXY PRIMER			158	HI BUILD EPOXY PRIMER
	3	158	HI BUILD EPOXY PRIMER	158	HI BUILD EPOXY PRIMER	158	HI BUILD EPOXY PRIMER			158	HI BUILD EPOXY PRIMER
	4	271	LONGLIFE ANTIFOUL	343	P/U GLOSS	343	P/U GLOSS			343	P/U GLOSS
	5	271	LONGLIFE ANTIFOUL	343	P/U GLOSS	343	P/U GLOSS			343	P/U GLOSS
	OR										
	3	AF500	CLEANSHIP ANTIFOUL								
	4	AF500	CLEANSHIP ANTIFOUL								
ALUMINIUM			ACID ETCH ALODINE PASSIVATOR		ACID ETCH ALODINE PASSIVATOR		ACID EYCH ALODINE PASSIVATOR				ACID ETCH ALODINE PASSIVATOR
	1	113	ZINC CHROMATE PRIMER	113	ZINC CHROMATE PRIMER	113	ZINC CHROMATE PRIMER			113	ZINC CHROMATE
	2	199	EPOXY PRIMER	199	EPOXY PRIMER	199	EPOXY PRIMER			199	EPOXY PRIMER
	3	199	EPOXY PRIMER	199	EPOXY PRIMER	199	EPOXY PRIMER			199	EPOXY PRIMER
	4	928	COPPER FREE ANTIFOUL	343	P/U GLOSS	343	P/U GLOSS			343	P/U GLOSS
	5	928	COPPER FREE ANTIFOUL	343	P/U GLOSS	343	P/U GLOSS			343	P/U GLOSS